

StrokEDGE Taskforce Outcome Measure Rating Form
 (Adapted from Section on Research EDGE form)

| | |
|--|--|
| Instrument name: | |
| Reviewer: | |
| ICF Domain (check all that apply): <input type="checkbox"/> body function/structure <input type="checkbox"/> activity <input type="checkbox"/> participation | |
| Type of measure: <input type="checkbox"/> performance-based <input type="checkbox"/> self-report | |
| Instrument properties: | |
| Reliability (test-retest, intra-rater, inter-rater) | |
| Validity (concurrent, criterion-related, predictive) | |
| Ceiling/ floor effects | |
| Sensitivity to change (responsiveness, MCID, MDC) | |
| Instrument use | |
| Equipment required | |
| Time to complete | |
| How is the instrument scored? (e.g. total score, are there subscales, etc.) | |
| Level of client participation required (is proxy participation available?) | |
| Limitations | |

StrokEDGE Taskforce Outcome Measure Rating Form
(Adapted from Section on Research EDGE form)

| | | |
|----------|---|--|
| 4 | Highly Recommend | Excellent psychometrics in a stroke population (e.g. valid and reliable and some data on responsiveness, MCD, MCID, etc.) and excellent clinical utility (e.g. administration is < 20 minutes, requires equipment typically found in the clinic, no copyright payment required, easy to score) |
| 3 | Recommend | Good psychometrics (may lack information about reliability, validity, or responsiveness) in a stroke population and good clinical utility (e.g. administration > 20 minutes, may require additional equipment to purchase or construct) |
| 2 | Unable to Recommend at this time | Insufficient information to support a recommendation (e.g. limited psychometric data available or not available in a stroke population) |
| 1 | Do not Recommend | Poor psychometrics &/or poor clinical utility (time, equipment, cost, etc.) |

| Practice Setting Recommendations | 4 | 3 | 2 | 1 |
|----------------------------------|----------|----------|----------|----------|
| Acute | | | | |
| Inpatient Rehab | | | | |
| Home Health | | | | |
| Skilled Nursing | | | | |
| Outpatient | | | | |
| <i>Comments</i> | | | | |
| Patient Acuity Recommendations | 4 | 3 | 2 | 1 |
| Acute (< 2 mos) | | | | |
| Subacute (2-6 mos) | | | | |
| Chronic (> 6 mos) | | | | |
| <i>Comments</i> | | | | |



StrokEDGE Taskforce Outcome Measure Rating Form
(Adapted from Section on Research EDGE form)

| | Students should learn to administer tool | Students should be exposed to tool | No |
|--|---|---|-----------|
| Should this tool be required for entry-level curricula? | | | |
| <i>Comments</i> | | | |

| Is this tool appropriate for research purposes? | YES | NO |
|--|------------|-----------|
| | | |
| <i>Comments</i> | | |